according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

SECTION 1. IDENTIFICATION

Product name : Rubber Tree® Forest Green

Product code : 00000000059102368

Manufacturer or supplier's details

Company name of supplier : Colorbiotics, LLC

Address : 201 POLITO AVE

Lyndhurst NJ 07071

Emergency telephone : ChemTel: +1-813-248-0585

Recommended use of the chemical and restrictions on use

Recommended use : Coloring agents, pigments

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

None known.

GHS label elements

Not a hazardous substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : aqueous dispersion

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Limestone	1317-65-3*	>= 10 - <= 30	TSC
Titanium dioxide	13463-67-7*	>= 1 - <= 5	TSC
Polychloro copper phthalo- cyanine	1328-53-6*	>= 1 - <= 5	TSC

^{*} Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

SECTION 4. FIRST AID MEASURES

General advice : Remove contaminated clothing.

If inhaled : Keep patient calm, remove to fresh air.

In case of skin contact : Wash thoroughly with soap and water

In case of eye contact : Wash affected eyes for at least 15 minutes under running

water with eyelids held open.

If swallowed : Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Dry powder Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod-

ucts

nitrogen oxides

Further information : Keep containers cool by spraying with water if exposed to fire.

In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus and chemical-

protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Do not breathe vapour/spray.
Use personal protective clothing.

Avoid contact with the skin, eyes and clothing.

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

Environmental precautions : Do not discharge into the subsoil/soil.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up

Dispose of absorbed material in accordance with regulations.

Collect waste in suitable containers, which can be labeled and

sealed.

Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

No special precautions necessary.

does not flash

Product is not explosive.

Advice on safe handling : No special measures necessary if stored and handled correct-

ly.

Ensure thorough ventilation of stores and work areas.

When using do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at the

end of the shift.

Conditions for safe storage : Keep away from heat.

Protect from direct sunlight.

Materials to avoid : Segregate from foods and animal feeds.

Recommended storage tem-

perature

> 39 °F / > 4 °C

Further information on stor-

age stability

PROTECT FROM FREEZING DURING THE COLD-SEASON

(BELOW 40°F / 5°C).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Limestone	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable)	5 mg/m3 (Calcium car-	NIOSH REL

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05/16/2023

 3.0
 08/08/2025
 000000575055
 Date of first issue: 11/10/2020

			bonate)	
		TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.2 mg/m3 (Titanium dioxide)	ACGIH
		TWA (Respirable particulate matter)	2.5 mg/m3 (Titanium dioxide)	ACGIH
Polychloro copper phthalocya- nine	1328-53-6	TŴA	1 mg/m3 (Copper)	NIOSH REL

Engineering measures : Whenever possible, engineering controls should be used to

minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection : Wear appropriate certified respirator when exposure limits

may be exceeded.

Use NIOSH approved respiratory protection.

Hand protection

Remarks : Chemical resistant protective gloves. Protective glove selec-

tion must be based on the user's assessment of the work-

place hazards.

Eye protection : Safety glasses with side-shields.

Wear face shield if splashing hazard exists.

Skin and body protection : Body protection must be chosen depending on activity and

possible exposure, e.g. head protection, apron, protective

boots, chemical-protection suit.

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Wearing of closed work clothing is recommended.

Hygiene measures : Store work clothing separately.

Keep away from food, drink and animal feedingstuffs.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

Color : green

Odor : mild

Odor Threshold : not determined

pH : approx. 6.5 - 9.0 (68 °F / 20 °C)

Melting point : No data available

Boiling point : approx. 212 °F / 100 °C

(for a component of this mixture)

Flash point : $> 482 \, ^{\circ}\text{F} / > 250 \, ^{\circ}\text{C}$

Evaporation rate : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Lower explosion limit / Lower

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Vapor pressure : approx. 23.4 hPa (68 °F / 20 °C)

(for a component of this mixture)

Relative vapor density : Heavier than air.

Density : approx. 1.3 - 1.6 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : Based on the water content the product does not ignite.

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

Viscosity, dynamic : No data available

Viscosity, kinematic : Forms a viscous solution.

Explosive properties : Not explosive

Oxidizing properties : Based on its structural properties the product is not classified

as oxidizing.

Sublimation point : No data available

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as pre-

scribed/indicated.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

Possibility of hazardous reac-

tions

: No hazardous reactions if stored and handled as pre-

scribed/indicated.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong acids

Strong bases

Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

Remarks : Misuse can be harmful to health.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Significant accumulation in organisms is not to be

expected.

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

Components:

Polychloro copper phthalocyanine:

Partition coefficient: n- : log Pow: -0.4 (73 °F / 23 °C)

octanol/water Method: estimate

Mobility in soil
No data available

Other adverse effects

Product:

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regula-

tions.

Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possi-

ble; then it can be passed on for recycling after being thor-

oughly cleaned.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not permitted for transport

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

Version Revision Date: SDS Number: Date of last issue: 05/16/2023 3.0 08/08/2025 000000575055 Date of first issue: 11/10/2020

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

Limestone	1317-65-3
Titanium dioxide	13463-67-7
Polychloro copper phthalocyanine	1328-53-6
ammonia, aqueous solution	1336-21-6
acrylic acid	79-10-7

New Jersey Right To Know

Limestone	1317-65-3
Titanium dioxide	13463-67-7
Polychloro copper phthalocyanine	1328-53-6

California Prop. 65

Risk assessment: Based on an evaluation of the product's composition and use(s), this product does not require a California Proposition 65 Warning.

The ingredients of this product are reported in the following inventories:


TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

SECTION 16. OTHER INFORMATION


Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05/16/2023

 3.0
 08/08/2025
 000000575055
 Date of first issue: 11/10/2020

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/08/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to the OSHA Hazard Communication Standard



Rubber Tree® Forest Green

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05/16/2023

 3.0
 08/08/2025
 000000575055
 Date of first issue: 11/10/2020

US / EN