

## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

#### **SECTION 1. IDENTIFICATION**

Product name : Cushionfall® Sport Green

Product code : 00000000050360622

## Manufacturer or supplier's details

Company name of supplier : Colorbiotics, LLC

Address : 201 POLITO AVE

Lyndhurst NJ 07071

Emergency telephone : ChemTel: +1-813-248-0585

### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

Restrictions on use : Reserved for industrial and professional use.

### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

## **GHS** label elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature : No data available.

## Components

| Chemical name                    | CAS-No.    | Concentration (% w/w) |
|----------------------------------|------------|-----------------------|
| Titanium dioxide                 | 13463-67-7 | >= 1 - < 5            |
| 2,2'-dimorpholinyldiethylether   | 6425-39-4  | >= 3 - < 10           |
| Silicon dioxide                  | 7631-86-9  | >= 0.1 - < 1          |
| Polychloro copper phthalocyanine | 1328-53-6  | >= 5 - < 7            |

### **SECTION 4. FIRST AID MEASURES**

General advice : Remove contaminated clothing.

Do not leave the victim unattended.

If inhaled : Keep patient calm, remove to fresh air.



## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash thoroughly with soap and water

In case of eye contact : Wash affected eyes for at least 15 minutes under running

water with eyelids held open.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth and then drink 200-300 ml of water.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Dry powder Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

In case of fire hazardous decomposition products may be

produced such as:

Hazardous combustion prod: :

ucts

nitrogen oxides

Further information : Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations.

In case of fire and/or explosion do not breathe fumes.

Keep containers cool by spraying with water if exposed to fire.

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.



## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus and chemical-

protective clothing.

Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Avoid dust formation.

Use personal protective clothing.

Avoid contact with the skin, eyes and clothing.

Environmental precautions : Do not discharge into the subsoil/soil.

Do not discharge into drains/surface waters/groundwater.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and

Collect waste in suitable containers, which can be labeled and

sealed.

Clean contaminated floors and objects thoroughly with water

and detergents, observing environmental regulations.

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation.

Dust can form an explosive mixture with air.

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Normal measures for preventive fire protection.

Advice on safe handling : No special measures necessary if stored and handled correct-

lv.

Ensure thorough ventilation of stores and work areas.

When using do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at the

end of the shift.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-

ventilated place away from ignition sources, heat or flame.

Protect containers from physical damage.



# **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

Protect against contamination.

Materials to avoid : Segregate from foods and animal feeds.

No materials to be especially mentioned.

Further information on stor-

age stability

: No data available

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

| Components                            | CAS-No.    | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration       | Basis                                |
|---------------------------------------|------------|-------------------------------------|--|--------------------------------------|
| Polychloro copper phthalocya-<br>nine | 1328-53-6  | TWA value<br>(Dust and<br>mist)     | 1 mg/m3<br>(copper (Cu))                             | ACGIHTLV                             |
|                                       |            | TWA value<br>(fumes/smok<br>e)      | 0.2 mg/m3<br>(copper (Cu))                           | ACGIHTLV                             |
|                                       |            | REL value<br>(Dust and<br>mist)     | 1 mg/m3<br>(copper (Cu))                             | NIOSH                                |
|                                       |            | REL value<br>(fumes/smok<br>e)      | 0.1 mg/m3<br>(copper (Cu))                           | NIOSH                                |
|                                       |            | TWA                                 | 1 mg/m3<br>(Copper)                                  | NIOSH REL                            |
| Silicon dioxide                       | 7631-86-9  | REL value                           | 6 mg/m3  | NIOSH                                |
|                                       |            | TWA value                           | 6 mg/m3  | 29 CFR<br>1910.1000<br>(Table Z-1-A) |
|                                       |            | TWA value                           | 20 millions of particles per cubic foot of air       | 29 CFR<br>1910.1000<br>(Table Z-3)   |
|                                       |            | TWA value                           | 0.8 mg/m3  | 29 CFR<br>1910.1000<br>(Table Z-3)   |
|                                       |            | TWA (Dust)                          | 20 Million parti-<br>cles per cubic foot<br>(Silica) | OSHA Z-3                             |
|                                       |            | TWA (Dust)                          | 80 mg/m3 /<br>%SiO2<br>(Silica)                      | OSHA Z-3                             |
|                                       |            | TWA (Res-<br>pirable dust)          | 0.05 mg/m3<br>(Silica)                               | NIOSH REL                            |
|                                       |            | TWA                                 | 6 mg/m3<br>(Silica)                                  | NIOSH REL                            |
| Titanium dioxide                      | 13463-67-7 | TWA value                           | 10 mg/m3   | ACGIHTLV                             |
|                                       |            | PEL (Total                          | 15 mg/m3   | 29 CFR                               |
|                                       |            | dust)                               |  | 1910.1000                            |



## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

|              |                    | (Table Z-1)   |
|--------------|--------------------|---------------|
| TWA value    | 10 mg/m3           | 29 CFR        |
| (Total dust) |                    | 1910.1000     |
|              |                    | (Table Z-1-A) |
| TWA (total   | 15 mg/m3           | OSHA Z-1      |
| dust)        |                    |               |
| TWA (Total   | 10 mg/m3           | OSHA P0       |
| dust)        |                    |               |
| TWA          | 10 mg/m3           | ACGIH         |
|              | (Titanium dioxide) |               |

**Engineering measures** : Whenever possible, engineering controls should be used to

minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate.

Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of

particles, gas and vapours.

For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator

(SAR) with escape provisions.

Hand protection

Remarks : Chemical resistant protective gloves Protective glove selec-

tion must be based on the user's assessment of the work-

place hazards.

Eye protection : Safety glasses with side-shields.

Tightly fitting safety goggles (chemical goggles).

Wear face shield if splashing hazard exists.

Safety glasses

Skin and body protection : Body protection must be chosen depending on activity and

possible exposure, e.g. head protection, apron, protective

boots, chemical-protection suit.

Protective suit

Protective measures : Wear long sleeved work shirt and long work pants in addition

to other stated personal protective equipment.

Work place should be equipped with a shower and an eye

wash.

Handle in accordance with good industrial hygiene and safety

practice.

Hygiene measures : Store work clothing separately.

Keep away from food, drink and animal feedingstuffs.

General industrial hygiene practice.



## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid, viscous

Color : green

Odor : mild

Odor Threshold : No data available

pH : approx. 9 - 10 (68 °F / 20 °C)

Melting point : No applicable information available.

boiling temperature : approx. 212 °F / 100 °C

(for a component of this mixture)

Flash point :  $> 212 \,^{\circ}\text{F} / > 100 \,^{\circ}\text{C}$ 

Evaporation rate : Not applicable

Flammability (solid, gas) : Not applicable

Self-ignition : Based on its structural properties the product is not classified

as self-igniting.

Upper explosion limit / Upper

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Lower explosion limit / Lower

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Vapor pressure : approx. 23.4 hPa  $(68 \, ^{\circ}\text{F} / 20 \, ^{\circ}\text{C})$ 

(for a component of this mixture)

Relative vapor density : Not applicable

Relative density : No applicable information available.

Density : approx. 1.4 - 1.6 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No applicable information available.

Partition coefficient: n- : Not applicable



# **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

octanol/water

Autoignition temperature : not determined

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : No applicable information available.

Viscosity, kinematic : Forms a viscous solution.

Explosive properties : Based on the chemical structure there is no indication of ex-

plosive properties.

Oxidizing properties : Based on its structural properties the product is not classified

as oxidizing.

Sublimation point : No applicable information available.

Molecular weight : No data available

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity : No hazardous reactions if stored and handled as pre-

scribed/indicated.

No decomposition if stored and applied as directed.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No hazardous reactions if stored and handled as pre-

scribed/indicated.

Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid : See SDS section 7 - Handling and storage.

See SDS section 7 - Handling and storage.

Incompatible materials : Strong acids

Strong bases

Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.



# **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

**Product:** 

Remarks : Misuse can be harmful to health.

Remarks : No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Product:** 

Toxicity to fish

Remarks: No data available.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available.



## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

Toxicity to algae/aquatic

plants Remarks: No data available.

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Product:** 

Bioaccumulation : Remarks: Significant accumulation in organisms is not to be

expected.

**Components:** 

Polychloro copper phthalocyanine:

Partition coefficient: n- : log Pow: -0.4 (73 °F / 23 °C)

octanol/water Method: estimate

Mobility in soil
No data available

\_ \_ \_

Other adverse effects

Product:

Additional ecological infor-

mation

There is a high probability that the product is not acutely

harmful to aquatic organisms.

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Dispose of in accordance with national, state and local regula-

tions.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not discharge into drains/surface waters/groundwater.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good



## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**49 CFR** 

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

**US State Regulations** 

Pennsylvania Right To Know

Titanium dioxide 13463-67-7

listed

**New Jersey Right To Know** 

Titanium dioxide 13463-67-7 Polychloro copper phthalocyanine 1328-53-6

listed

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, alpha-Methylstyrene, styrene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**




## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

29 CFR 1910.1000 (Table Z- : OSHA - Table Z-1-A (29 CFR 1910.1000)

1-A)

29 CFR 1910.1000 (Table Z- : OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR

1910.1000

29 CFR 1910.1000 (Table Z- : OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000

3)

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIHTLV : American Conference of Governmental Industrial Hygienists -

threshold limit values (US)

NIOSH : NIOSH Pocket Guide to Chemical Hazards (US)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

29 CFR 1910.1000 (Table Z- :

1-A) / TWA value

: Time Weighted Average (TWA):

29 CFR 1910.1000 (Table Z- : Permissible exposure limit

1) / PEL

29 CFR 1910.1000 (Table Z- : Time Weighted Average (TWA):

3) / TWA value

ACGIH / TWA : 8-hour, time-weighted average
ACGIHTLV / TWA value : Time Weighted Average (TWA):
NIOSH / REL value : Recommended exposure limit (REL):

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average



## **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date : 11/30/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED



# **Cushionfall® Sport Green**

Version Revision Date: SDS Number: Date of last issue: -

1.0 11/30/2020 000000590306 Date of first issue: 11/30/2020

WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN